*European Journal of Pharmacology*, 251 (1994) 321–323
© 1994 Elsevier Science Publishers B.V. All rights reserved 0014-2999/94/$07.00


# Author index


Abe, K. and Saito, H.
Modulation by metabotropic glutamate receptor of long-term potentiation of population spikes in the dentate gyrus in vivo (251) 295
Albinsson, A., Palazidou, E., Stephenson, J. and Andersson, G.
Involvement of the 5-$HT_2$ receptor in the 5-HT receptor-mediated stimulation of prolactin release (251) 157
Alesiani, M., see Mannaioni, G. (251) 201
Amado, J.A., see Berrazueta, J.R. (251) 303
Amalric, M., see Ouagazzal, A.-m. (251) 229
Andersson, G., see Albinsson, A. (251) 157

Baeyens, J.M., see Robles, L.I. (251) 113
Ball, D.I., see Nials, A.T. (251) 127
Barnes, P.J., see Sakamoto, T. (251) 137
Barrios, M., see Robles, L.I. (251) 113
Bastaki, M., Missirlis, E., Klouras, N., Karakiulakis, G. and Maragoudakis, M.E.
Suppression of angiogenesis by the antitumor agent titanocene dichloride (251) 263
Baumgold, J., Pryzbyc, R.L. and Reba, R.C.
3-α-Chlorimperialine: an $M_2$-selective muscarinic receptor antagonist that penetrates into brain (251) 315
Berrazueta, J.R., Salas, E., Amado, J.A., Sánchez de Vega, M.J. and Poveda, J.J.
Induction of nitric oxide synthase in human mammary arteries in vitro (251) 303
Boccio, D., see Montier, F. (251) 9
Buchanan, M., see Zhang, H. (251) 119
Budai, G., see Sziráki, I. (251) 311
Burnstock, G., see Vials, A.J. (251) 299
Bush, L.G., see Midgley, L.P. (251) 191
Butchers, P.R., see Nials, A.T. (251) 127

Calcutt, N.A., Mizisin, A.P. and Kalichman, M.W.
Aldose reductase inhibition, Doppler flux and conduction in diabetic rat nerve (251) 27
Campos-Toimil, M., Orallo, F., Gil-Longo, J., Verde, I., Loza, I. and Fernández-Alzueta, A.
Pharmacological study of several effects of hydralazine in the bisected rat vas deferens (251) 83
Carlà, V., see Mannaioni, G. (251) 201
Carlsson, A., see Waters, N. (251) 181
Carruette, A., see Montier, F. (251) 9
Cazaubon, C., see Herbert, J.-M. (251) 143
Chaki, S., Tanaka, M., Muramatsu, M. and Otomo, S.
NE-100, a novel potent $\sigma$ ligand, preferentially binds to $\sigma_1$ binding sites in guinea pig brain (251) R1
Chan, P., see Hegde, S.S. (251) 43
Chatelain, P., see Herbert, J.-M. (251) 143
Chatelain, P., see Vander Elst, L. (251) 163
Chung, K.F., see Sakamoto, T. (251) 137
Cierco, M. and Israel, A.
Role of angiotensin $AT_1$ receptor in the cardiovascular response to footshock (251) 103
Cohen, H., see Fayard, J.M. (251) 281
Coleman, R.A., see Nials, A.T. (251) 127

Daniel, E., see Zhang, H. (251) 119
Dazzi, L., see Imperato, A. (251) 271
Delbende, C., Tranchand Bunel, D., Tarozzo, G., Grino, M., Oliver, C., Mocaër, E. and Vaudry, H.
Effect of chronic treatment with the antidepressant tianeptine on the hypothalamo-pituitary-adrenal axis (251) 245
Delisée, C., see Herbert, J.-M. (251) 143
Di Chiara, G., see Morelli, M. (251) 21
Dol, F., see Herbert, J.-M. (251) 143
Drejer, J., see Olesen, S.-P. (251) 53

Eglen, R.M., see Hegde, S.S. (251) 43

Fayard, J.M., Tessier, C., Cohen, H., Lagarde, M., Pageaux, J.F. and Laugier, C.
Phospholipase $A_2$ inhibitors regulate the proliferation of normal uterine cells (251) 281
Fenu, S., see Morelli, M. (251) 21
Fernández-Alzueta, A., see Campos-Toimil, M. (251) 83
Ferreira, S.H., see Tonussi, C.R. (251) 173
Feuerstein, G.Z., see Yue, T.-L. (251) 237
Fujii, E., see Irie, K. (251) 75
Furukawa, K., see Irie, K. (251) 75

Garret, C., see Montier, F. (251) 9
Gessa, G.L., see Imperato, A. (251) 271
Gibb, J.W., see Midgley, L.P. (251) 191
Gil-Longo, J., see Campos-Toimil, M. (251) 83
Gomi, Y., see Suzuki, N. (251) 221
Grino, M., see Delbende, C. (251) 245
Gu, J.-L., see Yue, T.-L. (251) 237

Hanson, G.R., see Midgley, L.P. (251) 191
Hansson, L., see Waters, N. (251) 181
Hegde, S.S., Chan, P. and Eglen, R.M.
Cardiovascular effects of *R*-α-methylhistamine, a selective histamine $H_3$ receptor agonist, in rats: lack of involvement of histamine $H_3$ receptors (251) 43
Herbert, J.-M., Delisée, C., Dol, F., Schaeffer, P., Cazaubon, C., Nisato, D. and Chatelain, P.
Effect of SR 47436, a novel angiotensin II $AT_1$ receptor antagonist, on human vascular smooth muscle cells in vitro (251) 143
Hotta, K., see Ichikawa, T. (251) 107
Hsieh, L.-M., see Huang, H.-C. (251) 91
Huang, H.-C., Wang, H.-R. and Hsieh, L.-M.
Antiproliferative effect of baicalein, a flavonoid from a Chinese herb, on vascular smooth muscle cell (251) 91
Humbles, A.A., see Nials, A.T. (251) 127
Hunt, R.H., see Muller, M.J. (251) 151

Ichikawa, T., Ishihara, K., Saigenji, K. and Hotta, K.
Effects of acid-inhibitory antiulcer drugs on mucin biosynthesis in the rat stomach (251) 107

Imperato, A., Obinu, M.C., Dazzi, L. and Gessa, G.L.
Does dopamine exert a tonic inhibitory control on the release of striatal acetylcholine in vivo? (251) 271
Inazu, M., see Zhang, H. (251) 119
Irie, K., Furukawa, K., Nomoto, T., Fujii, E. and Muraki, T.
Developmental changes in the response of rat isolated duodenum to nicotine (251) 75
Ishihara, K., see Ichikawa, T. (251) 107
Israel, A., see Cierco, M. (251) 103
Ito, K., see Naganobu, K. (251) 307
Iwamoto, Y., see Kamei, J. (251) 95
Iwamoto, Y., see Kamei, J. (251) 291

Johnson, M., see Nials, A.T. (251) 127

Kalichman, M.W., see Calcutt, N.A. (251) 27
Kamei, J., Iwamoto, Y., Suzuki, T., Misawa, M., Kasuya, Y., Nagase, H., Okutomi, T., Soma, G.-I. and Mizuno, D.
Antinociceptive effect of lipopolysaccharide from *Pantoea agglomerans* on streptozotocin-induced diabetic mice (251) 95
Kamei, J., Iwamoto, Y., Suzuki, T., Misawa, M., Nagase, H. and Kasuya, Y.
Involvement of $\delta_1$-opioid receptor antagonism in the antitussive effect of $\delta$-opioid receptor antagonists (251) 291
Karakiulakis, G., see Bastaki, M. (251) 263
Kardos, V., see Sziráki, I. (251) 311
Kasuya, Y., see Kamei, J. (251) 95
Kasuya, Y., see Kamei, J. (251) 291
Kawasaki, H., see Naganobu, K. (251) 307
Klouras, N., see Bastaki, M. (251) 263
Kosakai, K., see Satake, N. (251) 1

Lagarde, M., see Fayard, J.M. (251) 281
Laruel, R., see Vander Elst, L. (251) 163
Laugier, C., see Fayard, J.M. (251) 281
Lin, C.-N., see Wang, J.-P. (251) 35
Lin-Shiau, S.-Y., see Liu, S.-H. (251) 61
Liu, S.-H. and Lin-Shiau, S.-Y.
Potentiation by metal ions of ryanodine contracture of the mouse diaphragm (251) 61
Löfberg, L., see Waters, N. (251) 181
Loza, I., see Campos-Toimil, M. (251) 83
Luo, L., see Wiesenfeld-Hallin, Z. (251) 99
Lysko, K.A., see Yue, T.-L. (251) 237
Lysko, P.G., see Yue, T.-L. (251) 237

Maggi, C.A., see Wiesenfeld-Hallin, Z. (251) 99
Mannaioni, G., Alesiani, M., Carlà, V., Natalini, B., Marinozzi, M., Pellicciari, R. and Moroni, F.
Sulfate esters of hydroxy amino acids as stereospecific glutamate receptor agonists (251) 201
Manning, A.S., see Vander Elst, L. (251) 163
Maragoudakis, M.E., see Bastaki, M. (251) 263
Marinozzi, M., see Mannaioni, G. (251) 201
Mckenna, P.J., see Yue, T.-L. (251) 237
Midgley, L.P., Wagstaff, J.D., Singh, N.A., Bush, L.G., Gibb, J.W. and Hanson, G.R.
Dynamic dopaminergic regulation of neuropeptide Y systems in discrete striatal and accumbens regions (251) 191
Misawa, M., see Kamei, J. (251) 95
Misawa, M., see Kamei, J. (251) 291
Missirlis, E., see Bastaki, M. (251) 263
Mizisin, A.P., see Calcutt, N.A. (251) 27
Mizuno, A., see Umemura, K. (251) 69
Mizuno, D., see Kamei, J. (251) 95
Mizuno, K., see Suzuki, N. (251) 221
Mocaër, E., see Delbende, C. (251) 245
Moldt, P., see Olesen, S.-P. (251) 53
Montier, F., Carruette, A., Moussaoui, S., Boccio, D. and Garret, C.
Antagonism of substance P and related peptides by RP 67580 and CP-96,345, at tachykinin $NK_1$ receptor sites, in the rat urinary bladder (251) 9
Morelli, M., Fenu, S., Pinna, A. and Di Chiara, G.
Adenosine $A_2$ receptors interact negatively with dopamine $D_1$ and $D_2$ receptors in unilaterally 6-hydroxydopamine-lesioned rats (251) 21
Moroni, F., see Mannaioni, G. (251) 201
Moussaoui, S., see Montier, F. (251) 9
Muller, M.J., Prior, T., Hunt, R.H. and Rangachari, P.K.
Adenosine $A_1$ receptors are not involved in contraction of canine gastric muscularis mucosae by adenosine analogues (251) 151
Muller, R.N., see Vander Elst, L. (251) 163
Munch, E., see Olesen, S.-P. (251) 53
Muraki, T., see Irie, K. (251) 75
Muramatsu, M., see Chaki, S. (251) R1

Naganobu, K., Takagi, M., Kawasaki, H. and Ito, K.
Modification by cyclopiazonic acid and ryanodine of depolarization-induced constriction in rat mesenteric artery (251) 307
Nagase, H., see Kamei, J. (251) 95
Nagase, H., see Kamei, J. (251) 291
Nakashima, M., see Umemura, K. (251) 69
Natalini, B., see Mannaioni, G. (251) 201
Nials, A.T., Ball, D.I., Butchers, P.R., Coleman, R.A., Humbles, A.A., Johnson, M. and Vardey, C.J.
Formoterol on airway smooth muscle and human lung mast cells: a comparison with salbutamol and salmeterol (251) 127
Nieoullon, A., see Ouagazzal, A.-m. (251) 229
Nimura, M., see Satake, N. (251) 1
Nisato, D., see Herbert, J.-M. (251) 143
Nomoto, T., see Irie, K. (251) 75

Obinu, M.C., see Imperato, A. (251) 271
Okutomi, T., see Kamei, J. (251) 95
Olesen, S.-P., Munch, E., Moldt, P. and Drejer, J.
Selective activation of $Ca^{2+}$-dependent $K^+$ channels by novel benzimidazolone (251) 53
Oliver, C., see Delbende, C. (251) 245
Orallo, F., see Campos-Toimil, M. (251) 83
Otomo, S., see Chaki, S. (251) R1
Ouagazzal, A.-m., Nieoullon, A. and Amalric, M.
Locomotor activation induced by MK-801 in the rat: postsynaptic interactions with dopamine receptors in the ventral striatum (251) 229

Pageaux, J.F., see Fayard, J.M. (251) 281
Palazidou, E., see Albinsson, A. (251) 157
Pátfalusi, M., see Sziráki, I. (251) 311
Patthy, M., see Sziráki, I. (251) 311
Pellicciari, R., see Mannaioni, G. (251) 201
Pinna, A., see Morelli, M. (251) 21
Poveda, J.J., see Berrazueta, J.R. (251) 303
Prior, T., see Muller, M.J. (251) 151
Pryzbyc, R.L., see Baumgold, J. (251) 315

Rangachari, P.K., see Muller, M.J. (251) 151
Raung, S.-L., see Wang, J.-P. (251) 35
Reba, R.C., see Baumgold, J. (251) 315
Robles, L.I., Barrios, M. and Baeyens, J.M.
ATP-sensitive $K^+$ channel openers inhibit morphine withdrawal (251) 113
Ruffolo, Jr., R.R., see Yue, T.-L. (251) 237

Saigenji, K., see Ichikawa, T. (251) 107
Saito, H., see Abe, K. (251) 295
Sakamoto, T., Sun, J., Barnes, P.J. and Chung, K.F.
Effect of a bradykinin receptor antagonist, HOE 140, against bradykinin- and vagal stimulation-induced airway responses in the guinea-pig (251) 137
Salas, E., see Berrazueta, J.R. (251) 303
Sánchez de Vega, M.J., see Berrazueta, J.R. (251) 303
Satake, N., Zhou, Q., Kosakai, K., Nimura, M. and Shibata, S.
Vasoinhibitory action of KT2-734, an antihypertensive agent, in isolated rat aorta (251) 1
Satoh, K., see Yamagishi, T. (251) 253
Schaeffer, P., see Herbert, J.-M. (251) 143
Shibata, S., see Satake, N. (251) 1
Singh, N.A., see Midgley, L.P. (251) 191
Soma, G.-I., see Kamei, J. (251) 95
Stephenson, J., see Albinsson, A. (251) 157
Sun, J., see Sakamoto, T. (251) 137
Suzuki, N., Mizuno, K. and Gomi, Y.
Role of nitric oxide in the peristalsis in the isolated guinea-pig ileum (251) 221
Suzuki, T., see Kamei, J. (251) 95
Suzuki, T., see Kamei, J. (251) 291
Sziráki, I., Kardos, V., Patthy, M., Pátfalusi, M. and Budai, G.
Methamphetamine protects against MPTP neurotoxicity in C57BL mice (251) 311

Tabrizchi, R. and Triggle, C.R.
Pressor responses to the $\alpha_1$-adrenoceptor agonist cirazoline: effects of captopril, phenoxybenzamine and nifedipine (251) 15
Taira, N., see Yamagishi, T. (251) 253
Takagi, M., see Naganobu, K. (251) 307
Tanaka, M., see Chaki, S. (251) R1
Tarozzo, G., see Delbende, C. (251) 245
Teng, C.-M., see Wang, J.-P. (251) 35
Tessier, C., see Fayard, J.M. (251) 281
Tonussi, C.R. and Ferreira, S.H.
Mechanism of diclofenac analgesia: direct blockade of inflammatory sensitization (251) 173
Tranchand Bunel, D., see Delbende, C. (251) 245
Triggle, C.R., see Tabrizchi, R. (251) 15

Uematsu, T., see Umemura, K. (251) 69
Umemura, K., Wada, K., Uematsu, T., Mizuno, A. and Nakashima, M.
Effect of 21-aminosteroid lipid peroxidation inhibitor, U74006F, in the rat middle cerebral artery occlusion model (251) 69

Vander Elst, L., Chatelain, P., Manning, A.S., Laruel, R., Van Haverbeke, Y. and Muller, R.N.
$^{31}P$ nuclear magnetic resonance study of the effects of the calcium ion channel antagonist fantofarone on the rat heart (251) 163
Van Haverbeke, Y., see Vander Elst, L. (251) 163
Vardey, C.J., see Nials, A.T. (251) 127
Vaudry, H., see Delbende, C. (251) 245
Venter, D.P.
Indirectly acting agonists. A model for the functional interaction of released endogenous double agonists (251) 209
Verde, I., see Campos-Toimil, M. (251) 83
Vials, A.J. and Burnstock, G.
The effect of suramin on vasodilator responses to ATP and 2-methylthio-ATP in the Sprague-Dawley rat coronary vasculature (251) 299

Wada, K., see Umemura, K. (251) 69
Wagstaff, J.D., see Midgley, L.P. (251) 191
Wang, H.-R., see Huang, H.-C. (251) 91
Wang, J.-P., Raung, S.-L., Lin, C.-N. and Teng, C.-M.
Inhibitory effect of norathyriol, a xanthone from *Tripterospermum lanceolatum*, on cutaneous plasma extravasation (251) 35
Waters, N., Hansson, L., Löfberg, L. and Carlsson, A.
Intracerebral infusion of (+)-AJ76 and (+)-UH232: effects on dopamine release and metabolism in vivo (251) 181
Weir, B., see Zhang, H. (251) 119
Wiesenfeld-Hallin, Z., Luo, L., Xu, X.-J. and Maggi, C.A.
Differential effects of selective tachykinin $NK_2$ receptor antagonists in rat spinal cord (251) 99

Xu, X.-J., see Wiesenfeld-Hallin, Z. (251) 99

Yamagishi, T., Yanagisawa, T., Satoh, K. and Taira, N.
Relaxant mechanisms of cyclic AMP-increasing agents in porcine coronary artery (251) 253
Yanagisawa, T., see Yamagishi, T. (251) 253
Yue, T.-L., Mckenna, P.J., Lysko, P.G., Gu, J.-L., Lysko, K.A., Ruffolo, Jr., R.R. and Feuerstein, G.Z.
SB 211475, a metabolite of carvedilol, a novel antihypertensive agent, is a potent antioxidant (251) 237

Zhang, H., Inazu, M., Weir, B., Buchanan, M. and Daniel, E.
Cyclopiazonic acid stimulates $Ca^{2+}$ influx through non-specific cation channels in endothelial cells (251) 119
Zhou, Q., see Satake, N. (251) 1